



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/583,877	06/21/2006	Jonathan Henry Ellis	PB60608	8672

20462 7590 05/07/2009
SMITHKLINE BEECHAM CORPORATION
CORPORATE INTELLECTUAL PROPERTY-US, UW2220
P. O. BOX 1539
KING OF PRUSSIA, PA 19406-0939

EXAMINER

MACFARLANE, STACEY NEE

ART UNIT	PAPER NUMBER
----------	--------------

1649

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

05/07/2009

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

US_cipkop@gsk.com

Sequence Compliance

This application contains sequence disclosures that are encompassed by the definitions for nucleotide and/or amino acid sequences set forth in 37 CFR 1.821(a)(1) and (a)(2). However, this application fails to comply with the requirements of 37 CFR 1.821 through 1.825. Specifically, as currently amended the amino acid sequence of Claim 3 and newly added claim 35 is not properly identified as required by 37 CFR 1.821(a)(2). This sequence appears to read upon amino acids 1-100 of SEQ ID NO: 87, but any identified amino acid sequence greater than 4 consecutive amino acids requires its own sequence identifier and sequence listing. In case this sequence is new, Applicant needs to provide a substitute computer readable form (CRF) copy of a "Sequence Listing" which includes all of the sequences that are present in the instant application and encompassed by these rules, a substitute paper copy of that "Sequence Listing", an amendment directing the entry of that paper copy into the specification, and a statement that the content of the paper and computer readable copies are the same and, where applicable, include no new matter, as required by 37 C.F.R. § 1.821 (e) or 1.821(f) or 1.821(g) or 1.825(b) or 1.825(d). The instant specification will also need to be amended so that it complies with 37 C.F.R. § 1.821(d) which requires a reference to a particular sequence identifier (SEQ ID NO:) be made in the specification and claims wherever a reference is made to that sequence. See M.P.E.P. 2422.04.

Applicant is given ONE MONTH, or THIRTY DAYS, whichever is longer, from the mailing date of this letter within which to comply with the sequence rules, 37 CFR 1.821 - 1.825. Failure to comply with these requirements will result in ABANDONMENT of the

Art Unit: 1649

application under 37 CFR 1.821(g). Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a). In no case may an applicant extend the period for reply beyond the SIX MONTH statutory period. Direct the reply to the undersigned. Applicant is requested to return a copy of the attached Notice to Comply with the reply.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to STACEY MACFARLANE whose telephone number is (571)270-3057. The examiner can normally be reached on M-W and ALT F 5:30 to 3:30, TELEWORK-Thursdays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Stucker can be reached on (571) 272-0911. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Stacey MacFarlane

Application/Control Number: 10/583,877
Art Unit: 1649

Page 4

Examiner
Art Unit 1649

/John D. Ulm/
Primary Examiner, Art Unit 1649